

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
28 June 2001 (28.06.2001)


PCT

(10) International Publication Number
WO 01/46952 A2

- (51) International Patent Classification⁷: **G11B 20/00** (74) Agent: **DICKEY, Jeffrey, S.**; Lerner, David, Littenberg, Krumholz & Mentik, LLP, 600 South Avenue West, Westfield, New Jersey 07090 (US).
- (21) International Application Number: **PCT/US00/35422**
- (22) International Filing Date:
21 December 2000 (21.12.2000) (81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
09/469,844 21 December 1999 (21.12.1999) US
- (71) Applicant: **LOCKSTREAM CORP.** [US/US]; 13033 Bellevue-Redmond Road, Bellevue, WA 98005 (US). (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (72) Inventors: **SEARLE, Scott**; 218 Main Street, Suite 441, Kirkland, WA 98033 (US). **ROSE, Floyd**; 949 East Cooper Avenue, Aspen, CO 81611 (US).

[Continued on next page]

(54) Title: **DIGITAL CONTENT SECURITY**



(57) Abstract: First, an optical disc that is playable on a player and on a device of a computerized device, has first and second data. The first data represents content that is playable on the player and on the device; when the disc is inserted, the content is immediately accessible. The second data represents a program which automatically runs when the disc is inserted, to prevent access except as the program permits. Second, a computer includes an optical disc device and a driver to control access to discs inserted into the device by programs running on the computer. The access is controlled by the driver; access is prevented to discs of a predetermined type, except as permitted by the driver. Third, a computer includes a sound card having recording inputs and a driver. The driver disables the inputs when it detects a predetermined signature in audio data being played through the card.



Published:

— Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

DIGITAL CONTENT SECURITY

TECHNICAL FIELD

This invention relates generally to digital content, such as audio, video, image and
5 text data, and more particularly to security of such content.

BACKGROUND ART

Distribution of content, such as audio data, video data, image data, and text data, in
a digital manner has become increasingly popular. For example, whereas before music
10 was sold on analog cassettes and records, today music is sold predominantly on compact
discs (CD's). Digital video discs (DVD's) are also predicted to supplant analog
videocassettes as the primary manner by which movies are sold to the public. Electronic
books, which store textual information digitally, are even beginning to appear, perhaps to
the detriment of paper, or analog, books. Furthermore, digital content is increasingly
15 being distributed over the Internet, in lieu of or in addition to physical media distribution
via CD, DVD, etc. For example, music is already popularly distributed over the Internet,
in the form of MP3 files, as known within the art.

For the owners and distributors of digital content, however, the security of the
digital content, so that a purchased copy cannot be illegally duplicated, looms large. CD-
20 ROM devices for computers, that are able to copy and create audio CD's, are decreasing in
price, and becoming a popular peripheral bought by the general public. Such devices,
however, allow a user to easily make illegal copies of audio CD's, which can cut into their
legitimate sales. Furthermore, MP3 files are easily "ripped" from existing audio CD's, and
transmitted to others over the Internet illegally. While MP3 files are not a verbatim copy
25 of their audio CD source content, the compression scheme used is so good that most
listeners cannot tell the difference. This also worries content owners and distributors.

For these and other reasons, there is a need for the present invention.

DISCLOSURE OF INVENTION

30 The invention relates to security for digital content. In one embodiment, an optical
disc, such as an audio CD or a video DVD, that is playable on an optical disc player, such
as a CD player or a DVD player, as well as on an optical disc device of a computerized
device, such as a CD-ROM or a DVD device of a computer, has data stored thereon. The
data includes first data representing content that is playable on the optical disc player and

on the optical disc device of the computerized device, such that when the disc is inserted into the optical disc player, the content is immediately accessible. The data also includes second data representing a computer program which is designed to automatically run when the disc is inserted into the optical disc device of the computerized device. The program is designed to prevent access to the content except as permitted by the program -- for example, by unmounting the disc so that it is not accessible to other programs except as controlled by the program.

In a second embodiment of the invention, a computer includes an optical disc device and an optical disc device driver designed to control access to discs inserted into the device by programs running on the computer. The access is controlled by the driver at a system level. In particular, access by the programs running on the computer to optical discs of a predetermined type is prevented, except as permitted by the driver.

In a third embodiment of the invention, a computer includes a sound card that has recording inputs, and a sound card driver. The sound card driver is designed to disable the recording inputs of the card when it detects a predetermined signature, such as a watermark, within audio data being played through the sound card. Each of the embodiments of the invention described in this summary provides for digital content security. Each embodiment can be used alone, or in conjunction with one or both of the other embodiments.

The invention includes computer-implemented methods, machine-readable media, computerized systems, and computers of varying scopes. Other aspects, embodiments and advantages of the invention, beyond those described here, will become apparent by reading the detailed description and with reference to the drawings.

BRIEF DESCRIPTION OF DRAWINGS

FIGs. 1-3 are diagrams of systems according to varying embodiments of the invention; and,

FIG. 4 is a diagram of a representative computerized device, such as a computer, in conjunction with which embodiments of the invention can be practiced.

MODE(S) FOR CARRYING OUT INVENTION

In the following detailed description of exemplary embodiments of the invention, reference is made to the accompanying drawings which form a part hereof, and in which is shown by way of illustration specific exemplary embodiments in which the invention may

be practiced. These embodiments are described in sufficient detail to enable those skilled in the art to practice the invention, and it is to be understood that other embodiments may be utilized and that logical, mechanical, electrical and other changes may be made without departing from the spirit or scope of the present invention. The following detailed
5 description is, therefore, not to be taken in a limiting sense, and the scope of the present invention is defined only by the appended claims.

Some portions of the detailed descriptions which follow are presented in terms of algorithms and symbolic representations of operations on data bits within a computer memory. These algorithmic descriptions and representations are the means used by those
10 skilled in the data processing arts to most effectively convey the substance of their work to others skilled in the art. An algorithm is here, and generally, conceived to be a self-consistent sequence of steps leading to a desired result. The steps are those requiring physical manipulations of physical quantities. Usually, though not necessarily, these quantities take the form of electrical or magnetic signals capable of being stored,
15 transferred, combined, compared, and otherwise manipulated.

It has proven convenient at times, principally for reasons of common usage, to refer to these signals as bits, values, elements, symbols, characters, terms, numbers, or the like. It should be borne in mind, however, that all of these and similar terms are to be associated with the appropriate physical quantities and are merely convenient labels
20 applied to these quantities. Unless specifically stated otherwise as apparent from the following discussions, it is appreciated that throughout the present invention, discussions utilizing terms such as processing or computing or calculating or determining or displaying or the like, refer to the action and processes of a computer system, or similar electronic computing device, that manipulates and transforms data represented as physical
25 (electronic) quantities within the computer system's registers and memories into other data similarly represented as physical quantities within the computer system memories or registers or other such information storage, transmission or display devices.

Security via Computer Program Stored on an Optical Disc

30 In this section of the detailed description, content security via a computer program stored on an optical disc is described. In the diagram of FIG. 1, a system 100 includes an optical disc 102, first data representing content 104, and second data representing a computer program 104. The first data and the second data are stored on the optical disc 102. The optical disc 102 can in varying embodiments be a CD-ROM, a DVD-ROM, or

another type of optical disc; the invention is not so limited. The content 104 can in varying embodiments be audio data, video data, image data, text data, or a combination thereof; the invention is not so limited.

The first data representing the content 104 is playable on an optical disc player, such as a stand-alone CD player, a stand-alone DVD player, etc.; the invention is not so limited. The content 104 is also playable on an optical disc device of a computerized device, such as a CD-ROM player, a DVD-ROM player, a CD-RW device, a CD-R device, and a DVD-RAM device; again, the invention is not so limited. The first data is such that upon insertion of the optical disc into the optical disc player, the content is immediately accessible. For example, the content 104 can be played when the disc 102 is inserted into an audio CD player of a car, or part of a home-stereo system.

The second data representing the program 106 is designed to automatically run upon insertion of the disc 102 into the optical disc device of the computerized device. That is, the computer program 106 is an auto-run program. For example, in the context of versions of the Microsoft Windows operation system, this feature is known as AutoPlay, that allows the program 106 to automatically operate when inserted into the optical disc device. When the disc 102 is inserted into the device, the operating system looks for a file called AUTORUN.INF on the disc 102, such that upon finding it, the operating system opens it and carries out its instruction, to start the program 106.

Furthermore, the program 106 is designed to prevent access to the content 104 on the computerized device – for example, by other programs running on the device – except as permitted by the program 106. In one embodiment, this is accomplished by unmounting the optical disc 102 from the device, such that access to the content 104 is controlled by the program 106. Unmounting is the process of logically removing the disc 102 from active use by the operating system of the device, as compared to mounting, which is the process of logically making the disc 102 accessible. Furthermore, in one embodiment, the program 106 is designed to remain loaded in the computerized device, such that subsequent optical discs that are inserted into the optical disc device also have access thereto controlled by the program 106. In one embodiment, the program 106 can be a terminate-and-stay-resident (TSR) program, such that it remains loaded in memory even when it is not running, so that it can be quickly invoked later.

Thus, the system 100 of FIG. 1 provides for content security, because access to the content 104 when the disc 102 is inserted into an optical disc device of a computerized device, such as a computer, is controlled by the program 106 that automatically runs upon

the insertion of the disc 102. However, the disc 102 otherwise functions normally as, for example, an audio CD or a video DVD, when it is inserted into an optical disc player, such as a CD player or a DVD player, that is not connected to a computerized device like a computer. That is, the security is such that the disc 102 has access thereto controlled only in the context of a computerized device, where the disc 102 can be easily copied, such that the program 106 can be designed to prevent such copying. The disc 102 functions normally when not in this context.

It is noted that in another embodiment of the invention related to the system 100 of FIG. 1, a computer-implemented method includes writing the first data onto the optical disc 102, and then the second data onto the optical disc 102. The computer-implemented method can be realized at least in part as one or more programs running on a computer -- that is, as a program executed from a computer-readable medium such as a memory by a processor of a computer. The programs themselves are desirably storable on a machine-readable medium such as a floppy disk or a CD-ROM, for distribution and installation and execution on another computer.

Content Security via Optical Disc Device Driver

In this section of the detailed description, content security via an optical disc device driver is described. In the diagram of FIG. 2, the system 200 includes an optical disc device 202, and a driver 204. The device 202 is operable on a computerized device, which may be a part of the system 200, and in varying embodiments can be a CD-ROM player, a DVD-ROM player, a CD-RW player, a CD-RW device, a CD-R device, and a DVD-RAM device; the invention is not so limited. The driver 204 is a hardware device (for example, which can be a part of the device 202 itself) or a computer program that controls or regulates the device 202. The driver 204 is thus a device-specific control program that enables a computerized device to work with the device 202, permitting the computerized device to communicate with the device 202. Thus, in most cases, the driver 204 manipulates the hardware in order for such communication to occur. In one embodiment, the driver 204 is a system-level, or lower-level, driver, as known within the art, such that the device 202 will not work properly, if at all, without the driver 204.

The driver 204 is designed to control access to optical discs inserted into the optical disc device 202. Such optical discs include, but are not limited to, CD-ROM's, DVD-ROM's, as well as other types of optical discs. The driver 204 controls access to the discs by other programs running on the computerized device, desirably at a system level.

It does this by preventing access to the optical discs inserted into the device 202 that are of a predetermined type, except as permitted by the driver 204. For example, the discs may have a predetermined identifying characteristic, such as a signature or a watermark, as known within the art, that, if present, causes the driver 204 to not allow, for example, the discs to be played except by programs it knows and trusts will not allow illegal copying of the discs. In one embodiment, the driver 204 is developed from the ground up as having this functionality. In another embodiment, the driver 204 is a modified driver, such as add-on code grafted onto an already existing driver, to add this functionality.

It is noted that in another embodiment of the invention related to the system 200 of

FIG. 2, a computer-implemented optical device driver includes detecting insertion of an optical disc into an optical disc device of a computerized device. The method then determines whether the disc is of the predetermined type; if so, then the method prevents access thereto by programs running on the computer, at a system level. The method then may only allow access to the disc under one or more predetermined conditions that it determines to be true – for example, that the program desiring access to the disc is known and trusted not to allow illegal copies of the disc to be made. The computer-implemented method can be realized at least in part as one or more programs running on a computer -- that is, as a program executed from a computer-readable medium such as a memory by a processor of a computer. The programs themselves are desirably storable on a machine-readable medium such as a floppy disk or a CD-ROM, for distribution and installation and execution on another computer.

Content Security via Sound Card Driver

In this section of the detailed description, content security via a sound card driver is described. In the diagram of FIG. 3, the system 300 includes a sound card 302 having recording inputs 304 (represented in FIG. 3 as a microphone), and a driver 306. The sound card 302 is operable on a computerized device, which may be a part of the system 300. The sound card 302 is a type of expansion board on computers that allows the playback and recording of sounds, such as from WAV or MIDI files, or from audio CD's or CD-ROM's, as known within the art. The sound card 302 can also be referred to as a sound board, or a sound adapter. Furthermore, in some computer systems, the sound card 302 is integrated onto the motherboard itself, such that it is not truly a hardware "card," but is still referred to as such for the purposes herein. The recording inputs 304 are the

inputs of the card 302 that allow for sound to be input into the card 302. They are also referred to as "line in" inputs.

The driver 306 is a hardware device (for example, which can be a part of the device 302 itself) or a computer program that controls or regulates the card 302. The driver 306 is thus a device-specific control program that enables a computerized device to work with the card 302, permitting the computerized device to communicate with the card 302. Thus, in most cases, the driver 306 manipulates the hardware in order for such communication to occur. In one embodiment, the driver 306 is a system-level, or lower-level, driver, such that the card 302 will not work properly, if at all, without the driver 306.

The driver 306 is designed to disable the recording inputs 304 of the sound card 302 upon detecting a predetermined signature within an audio data stream being played through the sound card 302. That is, audio data is streamed through the sound card 302 when it is desired to be played, such that the sound of the audio data can be heard emanating from speakers, for example, communicatively coupled to the sound card 302. In one embodiment, the predetermined signature can be a digital watermark, as known within the art, that is detectable by the driver 306. Thus, if such a signature is present, the driver 306 knows that the audio data stream being played through the card 302 is, for example, copyrighted subject matter, such that the recording inputs 302 are disabled to prevent illegal copying of the audio data. In one embodiment, the driver 306 is developed from the ground up as having this functionality. In another embodiment, the driver 306 is a modified driver, such as add-on code grafted onto an already existing driver, to add this functionality.

It is noted that in another embodiment of the invention related to the system 300 of FIG. 3, a computer-implemented sound card driver includes monitoring an audio data stream being played through a sound card, to determine whether the stream includes a predetermined signature. If the stream does, then the method disables the recording inputs of the sound card, to prevent unauthorized and/or illegal copying of the audio data. The computer-implemented method can be realized at least in part as one or more programs running on a computer -- that is, as a program executed from a computer-readable medium such as a memory by a processor of a computer. The programs themselves are desirably storable on a machine-readable medium such as a floppy disk or a CD-ROM, for distribution and installation and execution on another computer.

Representative Computerized Device

In this section of the detailed description, a representative computerized device in conjunction with which embodiments of the invention may be practiced is described.

However, the invention is not limited to the representative computerized device described

5 herein. The computerized device can be a computer, such as a desktop, laptop, handheld or palmtop computer, for example, a PDA device, an MP3 device, as known within the art, etc.; the invention is not limited to any device particularly recited herein.

The computerized device is shown in block diagram form in FIG. 4. The device 400 desirably includes one or more of desirably but not necessarily each of the following 10 components. The display 402 can include a flat-panel display, such as a liquid crystal display (LCD), or a cathode-ray tube (CRT) display. The input device 404 can include a keyboard, a pointing device such as a mouse, trackball or touch pad, a touch screen, one or more buttons, etc. The processor 406 executes instructions implementing methods of varying embodiments of the invention. The communications device 408 can be used to 15 communicate with another computer or other such device. The device 408 may be a network adapter, a modem, a wireless transceiver, etc. The non-volatile storage 410 can include a hard disk drive, and/or non-volatile memory such as flash and compact flash memory, such as in the form of memory cards. The volatile memory 412 typically includes a version of dynamic random-access memory (DRAM), as known within the art.

20 The computerized device, when used to implement the systems of FIGs. 1-3, can, therefore, have the additional components as recited in the descriptions of these systems. For example, the computer device may include an optical disc device, an optical disc device driver, a sound card, and/or a sound card driver. The invention is not so limited.

Conclusion

25 Although specific embodiments have been illustrated and described herein, it will be appreciated by those of ordinary skill in the art that any arrangement which is calculated to achieve the same purpose may be substituted for the specific embodiments shown. This application is intended to cover any adaptations or variations of the present 30 invention. Therefore, it is manifestly intended that this invention be limited only by the claims and equivalents thereof.

We claim:

1. A computer comprising:
an optical disc device; and,
5 an optical disc device driver designed to control access to optical discs inserted into the optical disc device by programs running on the computer at a system level, by preventing access to optical discs inserted into the optical disc device of a predetermined type except as permitted by the driver.
- 10 2. The computer of claim 1, wherein optical discs of the predetermined type comprises optical discs having a predetermined identifying characteristic.
3. The computer of claim 1, wherein the optical discs comprise at least one of: CD-ROM's, and DVD-ROM's.
- 15 4. The computer of claim 1, wherein the optical disc device comprises one of: a CD-ROM player, a DVD-ROM player, a CD-RW device, a CD-R device, and a DVD-RAM device.
- 20 5. A computer comprising:
a sound card having recording inputs; and,
a sound card driver designed to disable the recording inputs of the sound card upon detecting a predetermined signature within an audio data stream being played through the sound card.
- 25 6. The computer of claim 5, wherein the predetermined signature comprises a predetermined watermark.
7. A machine-readable medium having instructions stored thereon for execution by a processor of a computer having an optical disc device to perform an optical device driver method comprising:
30 detecting insertion of an optical disc into the optical disc device;
determining whether the optical disc inserted is of a predetermined type; and,

upon determining that the optical disc is of the predetermined type, preventing access thereto by computer programs running on the computer at a system level.

8. The medium of claim 7, wherein the method further comprises, permitting access to the optical disc only under at least one predetermined condition.

10. The medium of claim 7, wherein the optical disc comprise one of: a CD-ROM, and a DVD-ROM.

11. A machine-readable medium having instructions stored thereon for execution by a processor of a computer having a sound card having recording inputs to perform a sound card driver method comprising:

monitoring an audio data stream;

determining whether the audio data stream includes a predetermined signature;

and,

upon determining that the audio data stream includes the predetermined signature, disabling the recording inputs of the sound card.

12. An optical disc playable on an optical disc player and on an optical disc device of a computerized device, the disc having stored thereon:

first data representing content playable on the optical disc player and the optical disc device of the computerized device, such that upon insertion of the optical disc into the optical disc player the content is accessible immediately; and,

second data representing a computer program designed to automatically run upon insertion of the optical disc into the optical disc device of the computerized device, the computer program further designed to prevent access to the content except as permitted thereby.

13. The disc of claim 12, wherein the computer program is further designed to remain loaded in the computerized device, such that subsequent optical discs inserted into the optical disc device have access thereto controlled by the computer program as well.

14. The disc of claim 12, wherein the computer program is to prevent access to the content except as permitted thereby by unmounting the optical disc from the computerized

device, such that access to the content by the computerized device is controlled by the computer program.

15. The disc of claim 12, wherein the disc comprises one of: a CD-ROM, and a DVD-ROM.

16. The disc of claim 12, wherein the audio disc player comprises one of: a CD player, and a DVD player.

17. The disc of claim 12, wherein the optical disc device comprises one of: a CD-ROM player, a DVD-ROM player, a CD-RW device, a CD-R device, and a DVD-RAM device.

18. The disc of claim 12, wherein the computerized device comprises one of: a computer, and a personal-digital-assistant (PDA) device.

FIG 1




FIG 2






FIG 3

FIG 4



THIS PAGE BLANK (USPTO)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
28 June 2001 (28.06.2001)


PCT

(10) International Publication Number
WO 01/46952 A3

- (51) International Patent Classification: **G11B 20/00**
- (21) International Application Number: **PCT/US00/35422**
- (22) International Filing Date:
21 December 2000 (21.12.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
09/469,844 21 December 1999 (21.12.1999) US
- (71) Applicant: **LOCKSTREAM CORP.** [US/US]; 13033 Bellevue-Redmond Road, Bellevue, WA 98005 (US).
- (72) Inventors: **SEARLE, Scott**; 218 Main Street, Suite 441, Kirkland, WA 98033 (US). **ROSE, Floyd**; 949 East Cooper Avenue, Aspen, CO 81611 (US).
- (74) Agent: **DICKEY, Jeffrey, S.**; Lerner, David, Littenberg, Krumholz & Mentik, LLP, 600 South Avenue West, Westfield, New Jersey 07090 (US).
- (81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: **DIGITAL CONTENT SECURITY**



(57) Abstract: First, an optical disc that is playable on a player and on a device of a computerized device, has first and second data. The first data represents content that is playable on the player and on the device: when the disc is inserted, the content is immediately accessible. The second data represents a program which automatically runs when the disc is inserted, to prevent access except as the program permits. Second, a computer includes an optical disc device and a driver to control access to discs inserted into the device by programs running on the computer. The access is controlled by the driver: access is prevented to discs of a predetermined type, except as permitted by the driver. Third, a computer includes a sound card having recording inputs and a driver. The driver disables the inputs when it detects a predetermined signature in audio data being played through the card.



WO 01/46952 A3



Published:

— with international search report

(88) Date of publication of the international search report:
13 December 2001

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/35422

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G11B20/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G11B G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 905 797 A (MCRAE FINLAY) 18 May 1999 (1999-05-18) column 1, line 30 -column 2, line 35 column 3, line 8 -column 4, line 14 figure 1	1-4, 7-10
A	---	12, 13, 15-18
A	US 5 694 381 A (SAKO YOICHIRO) 2 December 1997 (1997-12-02) column 1, line 16 - line 24 column 3, line 33 - line 57 column 7, line 34 - line 57 column 8, line 19 - line 25 column 8, line 59 -column 10, line 49 ---	1-4, 7-10, 12, 15-18
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

29 May 2001

Date of mailing of the international search report

25. 07. 2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Ogor, M

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 00/35422

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 337 357 A (CHOU WAYNE W ET AL) 9 August 1994 (1994-08-09) the whole document ---	1-4, 7-10,12, 15-18
A	PATENT ABSTRACTS OF JAPAN vol. 1998, no. 13, 30 November 1998 (1998-11-30) & JP 10 207808 A (MITSUMI ELECTRIC CO LTD), 7 August 1998 (1998-08-07) abstract ---	12
A	PATENT ABSTRACTS OF JAPAN vol. 1996, no. 04, 30 April 1996 (1996-04-30) & JP 07 334916 A (RICOH CO LTD), 22 December 1995 (1995-12-22) abstract -----	12,14

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 00/35422

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
1-4, 7-10, 12-18

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1-4 7-10 12-18

PROBLEM: preventing easy duplication of licensed contents from optical discs through the use of a computer's CD device, while allowing conventional optical players to have an unlimited access to these licensed contents.

SOLUTION: the autorun of a control software included in the optical disc when the latter is inserted into a computerized device. This program controls the operation of the computer, and may namely prevent any access to the disc's contents.

2. Claim : 5 6 11

PROBLEM: preventing the illegal duplication of copyrighted audio.

SOLUTION: detecting whether the audio stream played through the sound card contains a predetermined signature. In case it is present, the recording outputs of the sound card are disabled.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/35422

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5905797 A	18-05-1999	EP 1098322 A	09-05-2001
		EP 0752149 A	08-01-1997
		WO 9526028 A	28-09-1995
		JP 9512657 T	16-12-1997
		US 6104813 A	15-08-2000
US 5694381 A	02-12-1997	CN 1142112 A	05-02-1997
		GB 2301930 A,B	18-12-1996
		JP 9055025 A	25-02-1997
US 5337357 A	09-08-1994	CA 2120816 A	18-12-1994
		EP 0636962 A	01-02-1995
JP 10207808 A	07-08-1998	NONE	
JP 07334916 A	22-12-1995	NONE	

THIS PAGE BLANK (USPTO)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)